W

	Application No.	Applicant(s)
Notice of Allowability	09/897,114	KITAI ET AL.
	Examiner	Art Unit
	Louis K. Huynh	3721
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 09/19/2005.		
2. The allowed claim(s) is/are <u>1 and 2</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> </ul>		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Informal P	atent Application (PTO-152)
Notice of References Cited (P10-692)     Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	,, , , ,
_	Paper No./Mail Dat	e
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	08), 7. ⊠ Examiner's Amendr	nenvComment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.   Examiner's Statement	nt of Reasons for Allowance
or biological inaterial	9.  Other	

Page 2

Application/Control Number: 09/897,114

Art Unit: 3721

## **EXAMINER'S COMMENTS**

Applicants' Remarks filed 09/19/2005 with respect to the rejection of claim 2 under 35
 U.S.C. 112, 2<sup>nd</sup> paragraph is found persuasive. The rejection is hereby withdrawn.

## **EXAMINER'S AMENDMENT**

- 2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 3. Authorization for this examiner's amendment was given in a telephone interview with Mr. Darin Auito (Reg. No. 56,024) on 11/10/2005 in order to provide proper antecedent basis for the "guided portions" of the sliders.
- 4. The application has been amended as follows:

## In claim 2:

"guide portions of the sliders" (line 20) has been changed to: --the sliders having guided portions that--.

## REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

Applicants' Remarks on page 5, lines 7-9, is found persuasive in that the
reference to Kojima (US 5,085,625) does not disclose, teach or suggest "at
least one guide unit with at least a linear guide rail connected to a linear
slider wherein the linear slider is connected to the blade holder for restricting
motion of the blade holder..." Thus, the prior art of record fails to disclose

Application/Control Number: 09/897,114 Page 3

Art Unit: 3721

and/or teach a chopper folder for a rotary press for folding signatures, as claimed in claim 1, that comprises in combination at least one guide unit with at least a linear guide rail connected to a linear slider wherein the linear slider is connected to the blade holder for restricting motion of the blade holder.

- The prior art of record also fails to disclose and/or teach a chopper folder for a rotary press for folding signatures, as claimed in claim 2, that comprises in combination a guide unit for restricting motion of the blade holder such that the blade holder reciprocates only in a direction perpendicular to a conveyance plane along which the signature is conveyed, wherein the guide unit comprises sliders and two guide rails, the sliders comprise guide portions that are movable while maintaining close contact with guide surfaces of the guide rails.
- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Louis K. Huynh whose telephone number is 571-272-4462. The examiner can normally be reached on M-F from 9:30AM to 5:00PM.
- 7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi I. Rada can be reached on 571-272-4467. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 4

Application/Control Number: 09/897,114

Art Unit: 3721

8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Louis K. Huynh

Primary Examiner
Art Unit 3721

November 10, 2005